

Table 2 - Comparison of Auditor's sea lice counts to industry-reported counts during Quarter 1 - 2011

2011 - Quarter 1

	Number of Farms			<i>Lepeophtheirus salmonis</i>				<i>Caligus clemensi</i>			
				All Motile Stages		Adult ♀ (with and without egg strings)		All Motile Stages		Chalimus Stages	
	Auditted	Number Operating		Audit	BCSFA Database	Audit	BCSFA Database	Audit	BCSFA Database	Audit	BCSFA Database
Zone/ Subzone 2.3	3	10	Abundance for area	0.08	0.83	0.02	1.09	0.01	0.09	0.04	0.69
			Lower 95% CI			-0.40			0.01		-0.07
			Upper 95% CI			2.05			0.16		1.44
Zone/ Subzone 2.4	3	10	Abundance for area	0.69	1.14	0.33	0.57	0.02	0.09	0.91	0.21
			Lower 95% CI			0.01			-0.01		0.08
			Upper 95% CI			2.27			0.19		0.33
Zone/ Subzone 3.1	1	4	Abundance for area	0.37	0.53	0.20	0.29	4.47	0.54	0.45	0.12
			Lower 95% CI			-0.01			-0.46		-0.05
			Upper 95% CI			1.06			1.54		0.29
Zone/ Subzone 3.2	3	11	Abundance for area	0.42	0.41	0.28	0.15	0.18	0.12	0.26	0.27
			Lower 95% CI			0.22			0.02		0.08
			Upper 95% CI			0.59			0.22		0.45
Zone/ Subzone 3.3	3	11	Abundance for area	0.40	0.40	0.11	0.23	0.19	0.14	0.41	0.45
			Lower 95% CI			0.24			0.06		0.16
			Upper 95% CI			0.57			0.22		0.74
Zone/ Subzone 3.4	1	5	Abundance for area	0.77	0.69	0.13	0.30	0.33	0.15	0.65	0.12
			Lower 95% CI			-0.09			0.00		-0.01
			Upper 95% CI			1.48			0.29		0.24
Zone/ Subzone 3.5	2	6	Abundance for area	0.33	0.32	0.19	0.34	0.77	0.14	2.18	0.30
			Lower 95% CI			0.17			-0.01		0.07
			Upper 95% CI			0.48			0.29		0.53